

# Calculation basis for relay protection settings



## Overview

Use this Protection Relay Setting Calculator to calculate pickup current, time multiplier settings (TMS), operating time, coordination time interval (CTI), and plug setting multiplier (PSM) using fault current, CT ratio, and IEC 60255 curve parameters. This technical report refers to the electrical protections of all 132kV switchgear. All calculations are based on the available documentation/ information. These calculations are critical in industrial. Information required for relay calculations NERC compliance (PRC- 019,024,025,026,027 overview) Sample application, Global settings Phase Fault Protection 87 – Phase Differential Current 50 – Instantaneous Phase Overcurrent 50DT – Definite Time Overcurrent Ground Fault Protection (High-Impedance. Motor protection relay settings are calculated from motor nameplate data, current transformer ratios, and system grounding method. For thermal overload protection (ANSI Device 49), the pickup is typically set at 115% to 125% of motor full-load amps depending on service factor. But, the concepts have to be applied with care in context of the particular transmission line and system in question. The transmission network is complex, with many variations. Every relay, switchgear, breaker, and protection algorithm must function with precision.

## Article Content

### Protection Relay Setting Interactive Calculator | FIRGELLI

Use this Protection Relay Setting Calculator to calculate pickup current, time multiplier settings (TMS), operating time, coordination time interval (CTI), and plug setting multiplier (PSM) ...

### Distribution Automation Handbook

When the protection is implemented using a voltage relay, the selected setting must be equal to or exceed the calculated stabilizing voltage. The value of the stabilizing resistor is determined according ...

### A Guide for Calculating Step Distance Relay Settings

For two-terminal or three-terminal lines where the remote station has a single-circuit breaker with breaker failure protection, set the relay to reach 125% of the Zone 2 relay reach.

### Transmission Line Setting Calculations - Beyond the Cookbook ...

This sequel to the original "Beyond the Cookbook" paper continues to discuss the challenges encountered when creating line relay setting calculations and how to apply practical solutions outside ...

### Relay Setting Calculation Overview | PDF | Volt | Relay

The document provides calculations for relay settings for different components in a power system network.

### Transmission Line Setting Calculations - Beyond the Cookbook

There are several approaches for making relay setting calculations. One approach is to calculate a setting and then do a number of checks to verify that the calculated setting is acceptable.

### Protection Relay Settings Calculations Made Easy

In this post, you will find relay settings calculations that serve as a guide to developing your settings. Some important areas are as follows: Line protection among other sub-details.

### Generation Protection Calculations and Settings

- A time delay setting of 1 cycle is optimal from a protection standpoint, but ensure it is secure for external faults, which is primarily dependent upon CT saturation performance matching i.e., CT ...

### Automatic Calculation Method and System for Relay Protection Setting ...

Therefore, an automatic calculation method and system for relay protection setting in new energy station suitable for large-scale power system is proposed in this paper, which can significantly improve ...

### Relay Settings Calculations

The relay (SEL-787) use the transformer MVA rating as a common reference point, TAP scaling converts all sec-ondary currents entering the relay from the two windings to per unit values, thus ...

### How to Calculate Motor Protection Relay Settings Step by Step

Calculate thermal overload, overcurrent, ground fault, and differential relay settings with step-by-step examples. Covers CT ratios and common mistakes.

### Distance Protection Relay Settings (Zone 1, Zone 2, Zone 3 ...

Distance relays measure impedance ( $Z = V/I$ ) to detect faults. The settings are based on: Line impedance (primary & secondary values).

### Setting Calculation Method and Protection Coordination for Relay ...

With the development of the power distribution system and equipment diversification, the accuracy of setting values is required to be at a high level to realize

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://automationauthoritysolar.co.za>

Email: [info@automationauthoritysolar.co.za](mailto:info@automationauthoritysolar.co.za)

Phone: +27 82 547 3961

Address: 15 Quantum Street, Technopark, Centurion, 0157, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

